



# LEATHERGOODS AND FOOTWEAR MANUFACTURERS & EXPORTERS ASSOCIATION OF BANGLADESH (LFMEAB)

SKILLS FOR EMPLOYMENT INVESTMENT PROGRAM (SEIP)
HOUSE NO: 12 (4<sup>th</sup> FLOOR), ROAD NO: 06, BLOCK-C,
BANANI, DHAKA-1213

Shopping for Goods

Package No. GD-10

Package Name: Procurement of Machineries



# SHOPPING FOR GOODS REQUEST FOR QUOTATION (RFQ)

Project Title: LFMEAB-SEIP Project

Source of Funding: ADB Package No: GD-10

RFQ memo no: LFMEAB-SEIP/Procurement/GD-10/2022/971

Date of Issue of Request: 19 December 2022

Γο	
	···
	••
Dear Sir/Madam,	

1. The LFMEAB-SEIP Project (Purchaser) hereby requests you to submit price quotation(s) for the supply and installation of the following items:

Sl	Description of Item	Unit	Quantity
1.	Flat Bed Sewing Machine (Double needle)	pc	1
2.	Post Bed Sewing Machine (Single needle)	pc	1
3.	Post Bed Sewing Machine (Double needle)	pc	1
4.	Cylinder Bed Sewing Machine (With binding)	рс	1
5.	Zigzag Sewing Machine	pcs	2
6.	Heavy Stich Post Bed Sewing Machine (Single needle)	pcs	2
7.	Strobel Machine	pcs	2
8.	Automatic Sewing Machine (a. Flat bed sewing machine (Single Needle)-1 pc b. Post bed sewing machine (Single Needle)- 2pcs c. Computerized Pattern-stitching machine-1 pc)	pcs	4

If you, however, have been associated with the firm that prepared the design, and specifications of the contract that is subject of this procurement, you shall be disqualified.

To assist you in the preparation of your price quotation we enclose the necessary technical specifications and required quantities.

- 2. You must quote for all the items under this request. Price quotations will be evaluated for all the items together and contract awarded to the firm offering the lowest evaluated total cost of all the items.
- 3. You shall submit one original of the Price Quotation with the Form of Quotation, and clearly marked "Original". In addition, you shall also submit one copy marked as "COPY". In case of any discrepancy between the Original and Copy, the original shall prevail. Your quotation in the attached format should be signed, sealed in a closed envelope and addressed to and delivered to the following address:

Purchaser's Address: Chief Coordinator

LFMEAB-SEIP Project

House: 12 (4<sup>th</sup> Floor), Road: 06 Block: C, Banani, Dhaka-1213.

**Telephone:** 01730-611038

Habliga

- 4. Your quotation in duplicate and written in English language, should be accompanied by adequate technical documentation and catalogue(s) and other printed material or pertinent information (in English language) for each item quoted, including names and addresses of firms providing after-sales service facilities in Bangladesh.
- 5. The deadline for receipt of your quotation(s) by the Purchaser at the address indicated in Paragraph 3 is: 02/01/2023 at 4.00 PM
- 6. You shall submit only one set of quotations for the above items. Your quotation must be typed or written in indelible ink and shall be signed by you or your authorized representative. Without a signature in your Form of Quotation, your quotation will not be considered further. Sample papers (minimum size: 8 inch / 8 inch) attested with your official seal & signature which will be used for printing shall be submitted along with your Quotation.
- 7. Your quotation(s) should be submitted as per the following instructions and in accordance with the attached form of Contract. The attached Terms and Conditions of Supply is an integral part of the Contract.
  - (i) PRICES: The prices should be quoted for supply and delivery to LFMEAB CAD-CAM Cell, Dewan Plaza, 2<sup>nd</sup> Floor Holding #E-20, Word# 7, Pallibiddut, Chandra, Kaliakoir, Gazipur. Prices shall be quoted in the currency of the Purchaser which is BDT and should inclusive all local taxes, carriage, installation, commissioning as applicable and after sale services for two years if applicable.
  - (ii) EVALUATION OF QUOTATIONS: Offers determined to be substantially responsive to the technical specifications will be evaluated by comparison of their prices. An offer is not substantially responsive if it contains material deviations or reservations to the terms, conditions, and specifications in this Request for Quotation, and it will not be considered further. The Purchaser will evaluate and compare only the quotations determined to be substantially responsive\*. In evaluating the quotations, the Purchaser will adjust for any arithmetical errors as follows:
    - (a) where there is a discrepancy between amounts in figures and in words, the amount in words will govern;
    - (b) where is a discrepancy between the unit rate and the line-item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern; and
    - (c) if a Supplier refuses to accept the correction, his quotation will be rejected.

The evaluated price shall include local taxes i.e., Value Added Tax (VAT) and Advance Income Tax (AIT) in Bangladesh.

- (iii) AWARD OF PURCHASE ORDER: The award will be made to the Quotationer offering the lowest evaluated price and that meets the required standards of technical and financial capabilities. The successful Quotationer will sign a Contract as per attached form of contract and terms and conditions of supply.
- (iv) VALIDITY OF THE OFFER: Your quotation(s) should be valid for a period of Sixty (60) days from the deadline for receipt of quotation(s) indicated in Paragraph 5 of this Request for Quotation.
- (v) If you withdraw your quotation during the validity period and/or refuse to accept the award of a contract when and if awarded, then you will be excluded from the list of suppliers for the project for two years.
- 8. Further information can be obtained from:

#### Md. Mehedi Hasan

Coordinator- Job placement, Database and Procurement

LFMEAB-SEIP Project

House: 12 (4th Floor), Road: 06 Block: C, Banani, Dhaka-1213 Email: mehedi.hasan@lfmeab.org Telephone: +8801730 611 038



- 9. The Quotationer whose quotation has been accepted will be notified of the award of contract through the **Letter of Acceptance** issued by the Purchaser within 60 days from the date of submission of quotation.
- 10. The Purchaser intends to apply funds from the Asian Development Bank (ADB) for eligible payments under the Purchase Order resulting from this RFQ.
- 11. Under ADB's Anticorruption Policy Quotationer shall observe the highest standard of ethics during the procurement and execution of such contracts. ADB will reject a proposal for award, and will impose sanctions on parties involved, if it determines that the Quotationer recommended for award or any other party, has engaged in corrupt, fraudulent, collusive, or coercive practices in competing for, or in executing, the Contract. At the time of submission of your quotation, you should not be in ADB's sanctions list.

Sincerely,

Md. Arifur Rahman Bhuiyan

Chief Coordinator LFMEAB-SEIP Project Md. Arifur Rahman Bhuiyan Chief Coordinator LFMEAB-SEIP Project Finance Division, Ministry of Finance

\*To substantiate responsiveness of quotations, please furnish supporting documents/evidences, among others, copies of Valid Trade License, Tax Identification Number (TIN), VAT Registration Certificate, and Specification Compliance Sheet as Attachment-A.

\*\*To substantiate financial capabilities, please furnish supporting document/evidence such as Bank Solvency Certificate and/or Bank Statement.

### FORM OF QUOTATION

To

#### The Chief Coordinator

LFMEAB-SEIP Project

House: 12 (4th Floor), Road: 06 Block: C, Banani, Dhaka-1213

We offer to execute the Procurement of Machineries for LFMEAB-SEIP Project, GD-10 in accordance with the
Conditions of Contract accompanying this Quotation for the Contract Price of BDT, (Amount in words
). We propose to complete the delivery of Goods mentioned in the terms & conditions o
supply.

# Prices (inclusive of local taxes i.e AIT, VAT, etc.) and Schedules for Supply:

Item	Description of Items	Unit		Uni	it Price	Total Price	Delivery
No.			Quantity	In figure	In words	in figure and word	time
1	2	3	4	5	6	7	8
1.	Flat Bed Sewing Machine (Double needle)	pcs	1				As mentioned
2.	Post Bed Sewing Machine (Single needle)	Sewing Machine pcs 1			in Terms & Condition		
3.	Post Bed Sewing Machine (Double needle)	pcs	1				of supply
4.	Cylinder Bed Sewing Machine (With binding)	pcs	1				
5.	Zigzag Sewing Machine	pcs	2				
6.	Heavy Stich Post Bed Sewing Machine (Single needle)	pcs	2				
7.	Strobel Machine	pcs	2				
	Automatic Sewing Machine						
	a. Flat bed sewing machine (Single Needle)	pcs	1				
8.	b. Post bed sewing machine (Single Needle)	pcs	2				
	c. Computerized Pattern- stitching machine	pcs	1				
	Total Amou	nt			In figure		
					In words		
					Dewan Plaza, a, Kaliakoir, (		Iolding #E-20,
Total Amount in [enter the Total Amount as in Col.8 above for the delivery of Good					of Goods and		
Taka (	in words)	related	services].				



Delivery Offered	[insert weeks/days] from date of issuing the Purchase Order]
Warranty Provided	One year warranty for free replacement or repairing

This Quotation and your written acceptance will constitute a binding Contract between us. We understand that you are not bound to accept the lowest or any Quotation you receive. We hereby confirm that this Quotation complies with the Validity of the Offer and Warranty conditions imposed by the Request for Quotation document and the Terms and Conditions of Supply, respectively.

We have not been associated with the firm that prepared the design and specifications of the contract that is subject of this request for quotation.

We are not in the ADB sanctions list.

Authorized Signature

Name and Title of Signatory:

Name of Supplier :

Address

Cell Number :

Email address :



### FORM OF CONTRACT

THIS AGREEMENT numbers made on, 2022, between
(Hereinafter called "the Purchaser") on the one part
and(Hereinafter called "the Supplier") on the other part.
(
WHERES the Purchaser has requested for quotation for
under the Contract and remedy any defects therein in conformity with the provisions of the Contract.
4. The Purchaser hereby covenants to pay, in consideration of the acceptance of Contract, supply and delivery of the goods and remedying of defects therein, the Contract Price in accordance with Payment Conditions prescribed by the Contract.
IN WITNESS whereof the parties hereto have executed the Contract under the laws of Bangladesh Country of Purchaser) on the date indicated above:
Signature and seal of the Purchaser: Signature and seal of the Supplier:
For and on behalf of For and on behalf of
Name of Authorized Representative Name of Authorized Representative



#### TERMS AND CONDITIONS OF SUPPLY

Project Name: LFMEAB-SEIP Project, Tranche-3

Purchaser: Chief Coordinator

LFMEAB-SEIP Project

House: 12 (4<sup>th</sup> Floor), Road: 06 Block: C, Banani, Dhaka-1213

Mobile: 01730611038

Package Name: Procurement of Machineries

Package No: GD-10

1. Schedule for Supply and Place for destination

SI	Description of Item	Unit	Quantity	Place to be delivered	Delivery Time
. 1.	Flat Bed Sewing Machine (Double needle)	рс	1	LFMEAB	60 days
2.	Post Bed Sewing Machine (Single needle)	рс	1	CAD-	from
3.	Post Bed Sewing Machine (Double needle)	рс	1	CAM Cell, Dewan	date of issuing
4.	Cylinder Bed Sewing Machine (With binding)	pc	1	Plaza, 2nd Floor	the Purchase
5.	Zigzag Sewing Machine	pcs	2	Holding	Order.
6.	Heavy Stich Post Bed Sewing Machine (Single needle)	pcs	2	#E-20, Word# 7,	
7.	Strobel Machine	pcs	2	Pallibiddut,	
8.	Automatic Sewing Machine  (a. Flat bed sewing machine (Single Needle)-1 pc b. Post bed sewing machine (Single Needle)- 2pcs c. Computerized Pattern-stitching machine-1 pc)	pcs	4	Chandra, Kaliakoir, Gazipur.	

The supply shall include carriage, installation, commissioning as applicable and after sales service/defect liability for one year from the date of commissioning.

- 2. Fixed Price: The prices indicated in the Form of Quotation are firm and fixed and not subject to any adjustment during contract performance.
- **3. Delivery Schedule:** The delivery should be completed as per above schedule but not exceeding 07 days from each delivery date.
- 4. Insurance: The Goods (if shipped from abroad) supplied under the Contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery. The insurance shall be in an amount equal to 110 percent of the value of the Goods on "All risks" basis.
- **5. Applicable Law:** The Contract shall be interpreted in accordance with the laws of the Purchaser's country.
- 6. Resolution of Disputes: The Purchaser and the Supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute between them under orin

Hallingen "

connection with the Contract. In the case of a dispute between the Purchaser and the Supplier, the dispute shall be settled in accordance with the provisions of the Arbitration Act, 2001 of the Purchaser's country.

- 7. **Delivery and Documents:** Upon delivery, the Supplier shall provide the following documents to the Purchaser:
  - copies of the Supplier's invoice showing goods' description, quantity, unit price, and total amount;
  - manufacturer's or supplier's warranty certificate; and
  - certificate of origin (if applicable).

If goods are coming by courier, supplier shall also provide prior to delivery, copies of documents that will enable Purchaser to receive the goods. The above documents shall be received by the Purchaser at least 3 days arrival of the goods and, if not received, the Supplier shall be responsible for any consequent expenses.

8. Payment: Payment of the contract price shall be made in the following manner:

100% payment (excluding AIT and VAT which will be deducted at source by purchaser) made upon receipt by the Purchaser of the delivered goods (payments will be made within 10-15 working days upon receiving each goods package in full) on site in accordance with the contract agreement as well as others terms and conditions imposed hereby.

- 9. Warranty: If anywhere of the shopping documents mention about the warranty of goods, then Goods offered should be covered by manufacturer's warranty for at least 12 months from the date of delivery to the Purchaser.
- 10. Defects: All defects will be corrected by the Supplier without any cost to the Purchaser within 15 days from the date of notice by Purchaser. The name and address of service facility where the defects are to be corrected by the supplier within the warranty period are:

  LFMEAB-SEIP as specified in the Schedule for Supply and Place for destination.
- 11. Force Majeure: The supplier shall not be liable for penalties or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

For purposes of this clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but not restricted to, act of Purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.

If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by Force Majeure event.

12. Required Technical Specifications: (As Attachment-A) Supplier confirms compliance with attached specifications.



13. Failure to Perform: The Purchaser may cancel the Agreement if the Supplier fails to deliver the Goods, in accordance with the above terms and conditions, in spite of a 7 days' notice given by the Purchaser, without incurring any liability to the Supplier.

Authorized Signature :

Name and Title of Signatory:

Name of Supplier :

Address :

Cell Number :

Email address :



#### **Technical Specification Compliance Sheet**

# 1. Technical Specification compliance Sheet for "Flat Bed Sewing Machine (Double Needle)":

SL	Description of Item	Required Technical Specification	Offered Technical Specification	Compliance (C/NC)/ Remarks
1.	Brand	To be specified by the Quotationer		
2.	Model	To be specified by the Quotationer		
3.	Country of Origin	To be specified by the Quotationer		
4.	Country of Assemble	To be specified by the Quotationer		
Feat	ures			
5.	Machine bed type	Flat		
6.	No. of needle	02		
7.	Feed mechanism	Needle feed		
8.	Hook system	Large Hook		
9.	Lubricating system	Automatic		
10.	Maximum Sewing Speed	3000 SPM		
11.	Lifting Of Presser Foot (Hand/knee)	7/13		
12.	Max. Stitch Length	7 mm		
13.	Needle Bar Stroke	35 mm		
14.	Sewn Products	Heavy material		
15.	Motor	Energy Saving Servo Motor		
16.	Others	Non-advance type with table and stand		

# 2. Technical Specification compliance Sheet for "Post Bed Sewing Machine (Single Needle)":

SL	Description of Item	Required Technical Specification	Offered Technical Specification	Compliance (C/NC)/ Remarks
1.	Brand	To be specified by the Quotationer		
2.	Model	To be specified by the Quotationer		
3.	Country of Origin	To be specified by the Quotationer		
4.	Country of Assemble	To be specified by the Quotationer		
Feat	ures			
5.	Machine bed type	Post		
6.	No. of needle	01		



SL	Description of Item	Required Technical Specification	Offered Technical Specification	Compliance (C/NC)/ Remarks
7.	Feed mechanism	Needle feed & top/ bottom roller feed		
8.	Hook system	Standard Hook		
9.	Maximum Sewing Speed	2500 SPM		
10.	Lifting Of Presser Foot (Hand/knee)	15		
. 11.	Max. Stitch Length	7 mm		
12.	Needle Bar Stroke	38 mm		
13.	Sewn Products	Shoe upper, leather products		
14.	Motor	Servo Motor		
15.	Others	Non-advance type with table and stand		

# 3. Technical Specification compliance Sheet for "Post Bed Sewing Machine (Double Needle)":

SL	Description of Item	Required Technical Specification	Offered Technical Specification	Compliance (C/NC)/ Remarks
1.	Brand	To be specified by the Quotationer		
2.	Model	To be specified by the Quotationer		9
3.	Country of Origin	To be specified by the Quotationer		
4.	Country of Assemble	To be specified by the Quotationer		
Feat	ures			
5.	Machine bed type	Post		
6.	No. of needle	02		
7.	Feed mechanism	Top & Bottom Roller Feed		
8.	Hook system	Standard Hook		
9.	Maximum Sewing Speed	2500 SPM		
10.	Lifting Of Presser Foot (Hand/knee)	15		
11.	Max. Stitch Length	4 mm		
12.	Needle Bar Stroke	41 mm		
13.	Sewn Products	Shoe upper, leather products		
14.	Motor	Servo Motor		
15.	Others	Non-advance type with table and stand		



# 4. Technical Specification compliance Sheet for "Cylinder Bed Sewing Machine (With binding)":

SL	Description of Item	Required Technical Specification	Offered Technical Specification	Compliance (C/NC)/ Remarks
1.	Brand	To be specified by the Quotationer		
2.	Model	To be specified by the Quotationer		
3.	Country of Origin	To be specified by the Quotationer		
4.	Country of Assemble	To be specified by the Quotationer		
Feat	ures			
5.	Machine bed type	Cylindrical		
6.	Diameter of cylinder bed	47 mm		
7.	No. of needle	01		
8.	Feed mechanism	Unison feed		
9.	Hook system	Large Hook		
10.	Maximum Sewing Speed	2000 SPM		
11.	Lifting Of Presser Foot (Hand/knee)	15		
12.	Max. Stitch Length	7 mm		
13.	Needle Bar Stroke	38 mm		
14.	Sewn Products	Tubular and curved articles (shoes, bags, small articles, purses)		
15.	Motor	Servo Motor		
16.	Others	Non-advance type with table and stand		

### 5. Technical Specification compliance Sheet for "Zigzag Sewing Machine":

SL	Description of Item	Required Technical Specification	Offered Technical Specification	Compliance (C/NC)/ Remarks
1.	Brand	To be specified by the Quotationer		
2.	Model	To be specified by the Quotationer		
3.	Country of Origin	To be specified by the Quotationer		
4.	Country of Assemble	To be specified by the Quotationer		
Feat	ures			
5.	Machine bed type	Flat		
6.	No. of needle	01		



SL	Description of Item	Required Technical Specification	Offered Technical Specification	Compliance (C/NC)/ Remarks
7.	Type of stitch	Lock stitch		
8.	Feed mechanism	Bottom feed		
9.	Maximum Sewing Speed	2000 SPM	2000 SPM	
10.	Width Of Zigzag (Standard/max.)	8mm/12mm		
11.	Max. Stitch Length	5 mm		
12.	Needle Bar Stroke	34.8 mm		
13.	Sewn Products	Materials with light to medium thickness		
14.	Motor	Energy Saving Servo Motor		
15.	Others	Non-advance type with table and stand		

# 6. Technical Specification compliance Sheet for "Heavy Stitch Post Bed Sewing Machine (Single Needle)":

SL	Description of Item	Required Technical Specification	Offered Technical Specification	Compliance (C/NC)/ Remarks
1.	Brand	To be specified by the Quotationer		
2.	Model	To be specified by the Quotationer		
3.	Country of Origin	To be specified by the Quotationer		
4.	Country of Assemble	To be specified by the Quotationer		
Feat	ures			
5.	Machine bed type	Post		
6.	No. of needle	01		
7.	Feed mechanism	Needle feed & top/ bottom roller feed		
8.	Hook system	Standard Hook		
9.	Maximum Sewing Speed	2500 SPM		
10.	Lifting Of Presser Foot (Hand/knee)	15		
11.	Max. Stitch Length	7 mm		
12.	Needle Bar Stroke	38 mm		
13.	Motor	Servo Motor		
14.	Others	Used for thick thread stitching Non-advance type with table and stand		



#### 7. Technical Specification compliance Sheet for "Strobel":

SL	Description of Item	Required Technical Specification	Offered Technical Specification	Compliance (C/NC)/ Remarks
1.	Brand	To be specified by the Quotationer		
2.	Model	To be specified by the Quotationer		
3.	Country of Origin	To be specified by the Quotationer		
4.	Country of Assemble	To be specified by the Quotationer		
Feat	ures			
5.	Feed mechanism	Disk feed		
6.	Maximum Sewing Speed	3200 SPM		
7.	Max. Stitch Length	6 mm		
8.	Needle Bar Stroke	28 mm		
9.	Maximum thickness of sewn materials	5 mm		
10.	Sewn Products	Shoe-insole stitching		
11.	Motor	Class Motor		

# 8. Technical Specification compliance Sheet for "Automatic Sewing Machine":

### a) Flat Bed sewing machine (Single Needle)

SL	Description of Item	Required Technical Specification	Offered Technical Specification	Compliance (C/NC)/ Remarks
1.	Brand	To be specified by the Quotationer		
2.	Model	To be specified by the Quotationer		
3.	Country of Origin	To be specified by the Quotationer		
4.	Country of Assemble	To be specified by the Quotationer		
Feat	ures			
5.	Machine bed type	Flat		
6.	No. of needle	01		
7.	Hook system	Standard Hook		
8.	Lubricating system,	Automatic		
9.	Maximum Sewing Speed	4000 SPM		
10.	Lifting Of Presser Foot (Hand/knee)	5.5/13		
11.	Max. Stitch Length	4 mm		
12.	Needle Bar Stroke	31 mm		
13.	Undertrimming	Automatic		



SL	Description of Item	Required Technical Specification	Offered Technical Specification	Compliance (C/NC)/ Remarks
14.	Backtracking	Automatic		
15.	Wiper	Automatic		
16.	Sewn Products	Material with Light~ Medium thickness		
17.	Motor	Servo Motor		
18.	Others	Advance type with table and stand		

# b) Post bed sewing machine (Single Needle)

SL	Description of Item	Required Technical Specification	Offered Technical Specification	Compliance (C/NC)/ Remarks
1.	Brand	To be specified by the Quotationer		
2.	Model	To be specified by the Quotationer		
3.	Country of Origin	To be specified by the Quotationer		
4.	Country of Assemble	To be specified by the Quotationer		
Feat	ures			
5.	Machine bed type	Post		
6.	No. of needle	01		
7.	Feed System	Roller Feed		
8.	Hook system	Large Hook		
9.	Lubricating system	Automatic		
10.	Maximum Sewing Speed	2500 SPM		
11.	Lifting Of Roller	10 mm		
12.	Max. Stitch Length	5 mm		
13.	Undertrimming	Automatic		
14.	Backtacking	Automatic		
15.	Pressure foot lifting	Automatic		
16.	Sewn Products	Material with Light~ Medium thickness		
17.	Motor	Direct drive Servo Motor		
18.	Others	Advance type with table and stand		



#### c) Computerized Pattern-stitching machine

SL	Description of Item	Required Technical Specification	Offered Technical Specification	Compliance (C/NC)/ Remarks
1.	Brand	To be specified by the Quotationer		
2.	Model	To be specified by the Quotationer		
3.	Country of Origin	To be specified by the Quotationer		
4.	Country of Assemble	To be specified by the Quotationer		
Feat	ures			
5.	Sewing area	300 mm X 200 mm		
6.	Feed System	Intermittent Feeding (X-Y Drived by stepping motor)		
7.	Hook system	Double-Capacity Shuttle Hook		
8.	Maximum Sewing Speed	2500 SPM		
9.	Overedging Width	0.1mm~12.5mm (0.05mm Unit)		
10.	Lifting of Feeding Frame	Max.30mm		
11.	Stroke Of the Intermediate presser	Standard 4mm (0~10mm)		
12.	Intermediate presser	20mm		
13.	Needle Thread Tensioner	Electronic Type (By Solenoid Control)		
14.	Storage Of Pattern Data in The Memory	Main-Body Memory:Max.99 Patterns		
15.	Enlarging/Reducing Facility	Increasing/Decreasing of Stitch Length or Increasing/Decreasing of The Number of Stitches		
16.	Bobbin Thread/Product Counter	Up/Down System		
17.	Lubrication	Semi-Dry Head/Hook Section: Minimum Oil Lubrication (Oil Tank)		
18.	Power Requirement/Power Consumption	Single Phase,200~240V/450VA		
19.	Thread Trimming Device	By Stepping Motor Control		
20.	Wiper Device	By Solenoid Control		
21.	Upper Thread Clamping Device	By Stepping Motor Control		
22.	The Operating Panel	The Touch Control Panel		
23.	Motor	Direct Drive Servo Motor		
24.	Others	Advance type with table, stand, break wheel sets, software & Standard accessories.		

I/We declare to supply Goods and related services offered by me/us fully in compliance with the Technical Specifications and Standards mentioned hereinabove

Authorized Signature Name and Title of Signatory Name of Supplier



### Letter of Acceptance

Date:
To
Dear Mr,
This is to notify you that your quotation dated for the execution of the Package
Name: Procurement of Machineries, Package No: GD-10, for the contract price of BDT
(Amount in words
), as corrected and modified in accordance
with the Request for Quotation has been accepted by us.
You are requested to sign the attached <b>Form of Contract</b> and ensure the completion of delivery
goods within the delivery time specified in the terms and conditions of supply.
goods within the derivery time specified in the terms and conditions of supply.
For and on behalf of the Purchaser:
Authorize Signature:
Name of Signatory:
Designation:



#### Technical Specifications for Supplying of Goods

# 1. Technical Specification "Flat Bed Sewing Machine (Double Needle)":

SL	Description of Item	Required Technical Specification
1.	Brand	To be specified by the Quotationer
2.	Model	To be specified by the Quotationer
3.	Country of Origin	To be specified by the Quotationer
4.	Country of Assemble	To be specified by the Quotationer
Feat	ures	
5.	Machine bed type	Flat
6.	No. of needle	02
7.	Feed mechanism	Needle feed
8.	Hook system	Large Hook
9.	Lubricating system	Automatic
10.	Maximum Sewing Speed	3000 SPM
11.	Lifting Of Presser Foot (Hand/knee)	7/13
12.	Max. Stitch Length	7 mm
13.	Needle Bar Stroke	35 mm
14.	Sewn Products	Heavy material
15.	Motor	Energy Saving Servo Motor
16.	Others	Non-advance type with table and stand
Quai	ntity	1 pc

# 9. Technical Specification "Post Bed Sewing Machine (Single Needle)":

SL	Description of Item	Required Technical Specification
1.	Brand	To be specified by the Quotationer
2.	Model	To be specified by the Quotationer
3.	Country of Origin	To be specified by the Quotationer
4.	Country of Assemble	To be specified by the Quotationer
Feat	ures	
5.	Machine bed type	Post
6.	No. of needle	01
7.	Feed mechanism	Needle feed & top/ bottom roller feed
8.	Hook system	Standard Hook
9.	Maximum Sewing Speed	2500 SPM
10.	Lifting Of Presser Foot (Hand/knee)	15
11.	Max. Stitch Length	7 mm



SL	Description of Item	Required Technical Specification
12.	Needle Bar Stroke	38 mm
13.	Sewn Products	Shoe upper, leather products
14.	Motor	Servo Motor
15.	Others	Non-advance type with table and stand
Quai	ntity	1 pc

### 10. Technical Specification "Post Bed Sewing Machine (Double Needle)":

SL	Description of Item	Required Technical Specification	
1.	Brand	To be specified by the Quotationer	
2.	Model	To be specified by the Quotationer	
3.	Country of Origin	To be specified by the Quotationer	
4.	Country of Assemble	To be specified by the Quotationer	
Feat	ures		
5.	Machine bed type	Post	
6.	No. of needle	02	
7.	Feed mechanism	Top & Bottom Roller Feed	
8.	Hook system	Standard Hook	
9.	Maximum Sewing Speed	2500 SPM	
10.	Lifting Of Presser Foot (Hand/knee)	15	
11.	Max. Stitch Length	4 mm	
12.	Needle Bar Stroke	41 mm	
13.	Sewn Products	Shoe upper, leather products	
14.	Motor	Servo Motor	
15.	Others	Non-advance type with table and stand	
Quai	ntity	1 pc	

# 11. Technical Specification "Cylinder Bed Sewing Machine (With binding)":

SL Description of Item Requ		Required Technical Specification	
	D 1	To be marified by the Oceantain	
1.	Brand	To be specified by the Quotationer	
2.	Model	To be specified by the Quotationer	
3.	Country of Origin	To be specified by the Quotationer	
4.	Country of Assemble	To be specified by the Quotationer	
Feat	ures		
5.	Machine bed type	Cylindrical	
6.	Diameter of cylinder bed	47 mm	
7.	No. of needle	01	



SL	Description of Item	Required Technical Specification
8.	Feed mechanism	Unison feed
9.	Hook system	Large Hook
10.	Maximum Sewing Speed	2000 SPM
11.	Lifting Of Presser Foot (Hand/knee)	15
12.	Max. Stitch Length	7 mm
13.	Needle Bar Stroke	38 mm
14.	Sewn Products	Tubular and curved articles (shoes, bags, small articles, purses)
15.	Motor	Servo Motor
16.	6. Others Non-advance type with table and stand	
Quantity		1 pc

# 12. Technical Specification "Zigzag Sewing Machine":

SL	Description of Item	Required Technical Specification	
1.	Brand	To be specified by the Quotationer	
2.	Model	To be specified by the Quotationer	
3.	Country of Origin	To be specified by the Quotationer	
4.	Country of Assemble	To be specified by the Quotationer	
Feat	ires		
5.	Machine bed type	Flat	
6.	No. of needle	01	
7.	Type of stitch	Lock stitch	
8.	Feed mechanism	Bottom feed	
9.	Maximum Sewing Speed	2000 SPM	
10.	Width Of Zigzag (Standard/max.)	8mm/12mm	
11.	Max. Stitch Length	5 mm	
12.	Needle Bar Stroke	34.8 mm	
13.	Sewn Products	Materials with light to medium thickness	
14.	Motor	Energy Saving Servo Motor	
15.	Others	Non-advance type with table and stand	
Quai	ntity	2 pcs	



# 13. Technical Specification "Heavy Stitch Post Bed Sewing Machine (Single Needle)":

SL	Description of Item	Required Technical Specification	
1.	Brand	To be specified by the Quotationer	
2.	Model	To be specified by the Quotationer	
3.	Country of Origin	To be specified by the Quotationer	
4.	Country of Assemble	To be specified by the Quotationer	
Feat	ures		
5.	Machine bed type	Post	
6.	No. of needle	01	
7.	Feed mechanism	Needle feed & top/ bottom roller feed	
8.	Hook system	Standard Hook	
9.	Maximum Sewing Speed	2500 SPM	
10.	Lifting Of Presser Foot (Hand/knee)	15	
11.	Max. Stitch Length	7 mm	
12.	Needle Bar Stroke	38 mm	
13.	Motor	Servo Motor	
14.	Others	Used for thick thread stitching	
		Non-advance type with table and stand	
Qua	ntity	2 pcs	

### 14. Technical Specification "Strobel":

SL	Description of Item	Required Technical Specification	
1.	Brand	To be specified by the Quotationer	
2.	Model	To be specified by the Quotationer	
3.	Country of Origin	To be specified by the Quotationer	
4.	Country of Assemble	To be specified by the Quotationer	
Feati	ires		
5.	Feed mechanism	Disk feed	
6.	Maximum Sewing Speed	3200 SPM	
7.	Max. Stitch Length	6 mm	
8.	Needle Bar Stroke	28 mm	
9.	Maximum thickness of sewn materials	5 mm	
10.	Sewn Products	Shoe-insole stitching	
11.	Motor	Class Motor	
Quantity		2 pcs	



# 15. Technical Specification "Automatic Sewing Machine":

#### d) Flat Bed (Single Needle)

SL	Description of Item	Required Technical Specification	
1.	Brand	To be specified by the Quotationer	
2.	Model	To be specified by the Quotationer	
3.	Country of Origin	To be specified by the Quotationer	
4.	Country of Assemble	To be specified by the Quotationer	
Feat	ires		
5.	Machine bed type	Flat	
6.	No. of needle	01	
7.	Hook system	Standard Hook	
8.	Lubricating system,	Automatic	
9.	Maximum Sewing Speed	4000 SPM	
10.	Lifting Of Presser Foot (Hand/knee)	5.5/13	
11.	Max. Stitch Length	4 mm	
12.	Needle Bar Stroke	31 mm	
13.	Undertrimming	Automatic	
14.	Backtacking	Automatic	
15.	Wiper	Automatic	
16.	Sewn Products	Material with Light~ Medium thickness	
17.	Motor	Servo Motor	
18.	Others	Advance type with table and stand	
Quantity		1 pc	

# e) Post bed (Single Needle)

SL	Description of Item	Required Technical Specification	
1.	Brand	To be specified by the Quotationer	
2.	Model	To be specified by the Quotationer	
3.	Country of Origin	To be specified by the Quotationer	
4.	Country of Assemble	To be specified by the Quotationer	
Feat	ures		
5.	Machine bed type	Post	
6.	No. of needle	01	
7.	Feed System	Roller Feed	
8.	Hook system	Large Hook	
9.	Lubricating system	Automatic	
10.	Maximum Sewing Speed	2500 SPM	
11.	Lifting Of Roller	10 mm	
12.	Max. Stitch Length	5 mm	



SL	Description of Item	Required Technical Specification	
13.	Undertrimming	Automatic	
14.	Backtacking	Automatic	
15.	Pressure foot lifting	Automatic	
16.	Sewn Products	Material with Light~ Medium thickness	
17.	Motor	Direct drive Servo Motor	
18.	Others	Advance type with table and stand	
Quai	ntity	2 pc	

# f) Computerized Pattern-stitching machine

SL Description of Item		Required Technical Specification	
1.	Brand	To be specified by the Quotationer	
2.	Model	To be specified by the Quotationer	
3.	Country of Origin	To be specified by the Quotationer	
4.	Country of Assemble	To be specified by the Quotationer	
Feat			
5.	Sewing area	300 mm X 200 mm	
6.	Feed System	Intermittent Feeding (X-Y Drived by stepping motor)	
7.	Hook system	Double-Capacity Shuttle Hook	
8.	Maximum Sewing Speed	2500 SPM	
9.	Overedging Width	0.1mm~12.5mm (0.05mm Unit)	
10.	Lifting of Feeding Frame	Max.30mm	
11.	Stroke Of the Intermediate presser	Standard 4mm (0~10mm)	
12.	Lifting Of the Intermediate presser	20mm	
13.	Needle Thread Tensioner	Electronic Type (By Solenoid Control)	
14.	Storage Of Pattern Data in The Memory	Main-Body Memory:Max.99 Patterns	
15.	Enlarging/Reducing Facility	Increasing/Decreasing of Stitch Length or Increasing/Decreasing of The Number of Stitches	
16.	Bobbin Thread/Product Counter	Up/Down System	
17.	Lubrication	Semi-Dry Head/Hook Section: Minimum Oil Lubrication (Oil Tank)	
18.	Power Requirement/Power Consumption	Single Phase,200~240V/450VA	
19.	Thread Trimming Device	By Stepping Motor Control	
20.	Wiper Device	By Solenoid Control	
21.	Upper Thread Clamping Device	By Stepping Motor Control	
22.	The Operating Panel	The Touch Control Panel	
23.	Motor	Direct Drive Servo Motor	
24.	Others	Advance type with table, stand, break wheel sets, software & Standard accessories.	
Quantity		1 pc	



# Letter of Authorization (Letter Head Pad)

Date:			
To, The Chief Coordinate LFMEAB-SEIP Project House: 12 (4th Floor), Block: C, Banani, Dha	t Road: 06		
Subject: Letter of Au	thorization for sign	ning Shopping for GD-1	0.
Dear Sir,			
With reference to Pa	ckage Name: Pro	curement of Machiner	ies, Package No: GD-10, I give
Mr			
Designation:		the authority	to sign all the relevant and required
documents on behalf o	f our company and	process all related actions	as per the need.
Given below is identity	proof of the person	n with details and signatu	re for the verification purpose.
Name of Authorized	Person :		
Designation of Autho	rized Person:		
Signature of Authoriz	zed Person :	1.	2.
Sincerely,			
Signature	:		
Name of the Person	:		
Designation	:		
Cell	:		
Email	:		

Habliga.